






DX-i6040-H8

【English】

DX-i6040-H8



Features

- ◆ Dual AI Cards
- ◆ Intel® Processor 6/7th Gen
- ◆ 4×USB3.0 + 1×HDMI OUT
- ◆ 9V-20V Wide Range Input
- ◆ Supports On Board 16G+8G Momory
- ◆ Supports 5G/WIFI/4G
- ◆ Supports Dual Gigabit Ethernet
- ◆ DIM.170×132×49mm

Model Number	Product Information / Regulatory
DX-i6040-H8	Intel® Celeron 3955U 6th Gen Intel® Core™ i3/i5/i7 6th/7th Gen CE

Specification	
AI Performance	2xMovidius AI cards(5T/10T) 2xCambricon MLU220-M.2
CPU	Intel® Celeron 3955U 6th Gen Intel® Core™ i3/i5/i7 6th/7th Gen
Memory	8GB/16GB/32GB DDR4
Storage	1xMSATA3.0/1xPWR/1xM.2 2242/2280(SATA/PCIe)
Display	1xHDMI OUT
Networking	2x10/100/1000 Gigabit Ethernet
Audio	1xMic-in+1xAudio-out
I/O Port	4xUSB3.0+2xUSB2.0
Expansion Port	2xmPCIe
Power	9V-20V DC 110V-240V AC
LED/Button	1xPower with LED 1xPower Signal
Environment	-25~55℃@1xAI card (SSD Industrial) -25~45℃@2xAI cards (SSD Industrial) 95% @ 40℃ No Condensation
Watchdog	Interval and Restart / 255 Level Timer
OS	Windows 7/10/Linux Ubuntu 16.04
Mechanical	DIM.170(L)x132(W)x49(H)mm N.W.1.3kg
Expansion	DB9x1+HDMIx1/DB9x2/DB20/RJ45*2